AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

- 1. (Currently Amended) A headphone module assembly comprising:
 - a headphone module including a carrier operable for mounting in a <u>PC</u> card slot provided in a computer chassis;
 - a retractor member mounted on the carrier;
 - a flexible cord extendibly and retractably connected to the retractor member, the cord including at least one headphone connected to a first cord end and a connector connected to a second cord end opposite the first end; and
 - a headphone receptacle on the carrier.
- 2. (Original) The assembly as defined in claim 1 wherein the cord includes two headphones.
- (Original) The assembly as defined in claim 1 wherein the retractor member is a cord reel.
- 4. (Original) The assembly as defined in claim 1 wherein the carrier includes a first end and a second end opposite the first end, the headphone receptacle being at the first end.
- (Original) The assembly as defined in claim 4 wherein the connector is adjacent the headphone receptacle.
- (Original) The assembly as defined in claim 4 wherein the connector is adjacent the second end.

PATENT Docket: 16356.633 (DC-02908) Customer No. 000027683

- 7. (Original) The assembly as defined in claim 1 wherein the carrier includes mounting rails.
- 8. (Original) A computer comprising:
 - a body of the computer having a PC card slot formed therein;
 - a headphone module including a carrier removably mounted in the slot;
 - a retractor member mounted on the carrier;
 - a flexible cord extendibly and retractably connected to the retractor member, the cord including at least one headphone connected to a first cord end and a connector connected to a second cord end opposite the first end; and
 - a headphone receptacle on the carrier.
- 9. (Original) The computer as defined in claim 8 wherein the cord includes two headphones.
- (Original) The computer as defined in claim 8 wherein the retractor member is a cord reel.
- 11. (Original) The computer as defined in claim 8 wherein the carrier includes a first end and a second end opposite the first end, the headphone receptacle being at the first end.
- 12. (Original) The computer as defined in claim 11 wherein the connector is adjacent the headphone receptacle.
- 13. (Original) The computer as defined in claim 11 wherein the connector is adjacent the second end.

PATENT Docket: 16356.633 (DC-02908) Customer No. 000027683

- 14. (Original) The computer as defined in claim 8 wherein the carrier includes mounting rails.
- 15. (Previously Presented) A computer system comprising:
 - a chassis having a PC card slot formed therein;
 - a microprocessor in the chassis;
 - a mass storage coupled to the microprocessor;
 - a headphone module including a carrier removably mounted in the slot;
 - a retractor member mounted on the carrier;
 - a flexible cord extendibly and retractably connected to the retractor member, the cord including at least one headphone connected to a first cord end and a connector connected to a second cord end opposite the first end; and
 - a headphone receptacle on the carrier.
- 16. (Previously Presented) The system as defined in claim 15 wherein the cord includes two headphones.
- 17. (Previously Presented) The system as defined in claim 15 wherein the retractor member is a cord reel.
- 18. (Previously Presented) The system as defined in claim 15 wherein the carrier includes a first end and a second end opposite the first end, the headphone receptacle being at the first end.
- 19. (Previously Presented) The system as defined in claim 18 wherein the connector is adjacent the headphone receptacle.

PATENT Docket: 16356.633 (DC-02908) Customer No. 000027683

- 20. (Previously Presented) The system as defined in claim 18 wherein the connector is adjacent the second end.
- 21. (Previously Presented) The system as defined in claim 15 wherein the carrier includes mounting rails.